according to Regulation (EC) No. 1907/2006



# **ACTIV FRESH 15 L**

WM 0713072 Order number: 0713072

Version 6.2 Revision Date 05.02.2021 Print Date 12.03.2021

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : ACTIV FRESH 15 L

Identification number : 61628

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent

Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : Tana Chemie GmbH

Rheinallee 96 55120 Mainz

Telephone : +49613196403 Telefax : +4961319642414

E-mail address : Produktsicherheit@werner-mertz.com

Responsible/issuing person

Contact person : Product development / product safety

#### 1.4 Emergency telephone number

112

Centru za kontrolu otrovanja u Zagrebu na tel. (01) 2348 342

+49(0)6131-19240

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.

# 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

Precautionary statements : P102 Keep out of reach of children.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

according to Regulation (EC) No. 1907/2006



**ACTIV FRESH 15 L** 

WM 0713072 Order number: 0713072

Version 6.2 Revision Date 05.02.2021 Print Date 12.03.2021

P337 + P313

present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/

attention.

Disposal:

P501 Dispose of contents/ container to an approved

waste disposal plant.

Additional Labelling:

Safety data sheet available on request.

2.3 Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

3.2 Mixtures

Chemical nature : Aqueous surfactant solution.

Hazardous components

| Chemical name   | CAS-No.<br>EC-No.<br>Registration number | Classification   | Concentration<br>(% w/w) |
|---|--|--|--------------------------|
| Alcohols, C12-16, ethoxylated (7 EO)                  | 68551-12-2                               | Eye Dam. 1; H318<br>Aquatic Chronic 3;<br>H412<br>Acute Tox. 4; H302                                   | >= 10 - < 15             |
| Fatty acids, coco, sodium salts                       | 61789-31-9<br>263-050-4                  | Eye Irrit. 2; H319<br>Skin Irrit. 2; H315  | >= 10 - < 15             |
| ethanol   | 64-17-5<br>200-578-6<br>01-2119457610-43 | Flam. Liq. 2; H225<br>Eye Irrit. 2; H319<br>SCL<br>>= 50 % 2; H319                                     | >= 2 - < 5               |
| Alcohols, C12-14, ethoxylated, sulfates, sodium salts | 68891-38-3<br>01-2119488639-16           | Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412  SCL 5 - < 10 % 2; H319 >= 10,0 % 1; H318 | >= 3 - < 5               |



WM 0713072 Order number: 0713072

Version 6.2 Revision Date 05.02.2021 Print Date 12.03.2021

| D-Glucopyranose, oligomeric, C10-<br>16-alkyl glycosides | 110615-47-9      | Skin Irrit. 2; H315<br>Eye Dam. 1; H318 | >= 2 - < 3 |
|--|------------------|---|------------|
|  | 01-2119489418-23 |   |            |
|  |                  | SCL                                     |            |
|  |                  | > 12 - 30 % 1; H318                     |            |
|  |                  | 1 - 12 % 2; H319                        |            |
|  |                  |   |            |
|  |                  |   |            |

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.

If symptoms persist, call a physician.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water. If symptoms persist, call a physician.

In case of eye contact : Protect unharmed eye.

If easy to do, remove contact lens, if worn.

Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes.

If eye irritation persists, consult a specialist.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Obtain medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Irritation

Risks : No information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons

Information Service.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local



WM 0713072 Order number: 0713072

Version 6.2 Revision Date 05.02.2021 Print Date 12.03.2021

circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment for

firefighters

: In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must

not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local

regulations.

**SECTION 6: Accidental release measures** 

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Ensure adequate ventilation.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes. For personal protection see section

8. Smoking, eating and drinking should be prohibited in the

application area. Dispose of rinse water in accordance with local and

national regulations.

Advice on protection against fire

and explosion

: Vapours may form explosive mixtures with air.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. When using do not eat or drink. When using do not smoke.

according to Regulation (EC) No. 1907/2006



**ACTIV FRESH 15 L** 

WM 0713072 Order number: 0713072

Print Date 12.03.2021 Version 6.2 Revision Date 05.02.2021

Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas

and containers

: Store in original container. Keep container tightly closed in a dry and

well-ventilated place. Store at room temperature in the original

container.

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Cleaning agent

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

**DNEL** 

ethanol : End Use: Workers 64-17-5:

Exposure routes: Inhalation

Potential health effects: Acute local effects

Value: 1900 mg/m3

End Use: Workers

Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 950 mg/m3

End Use: Workers

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

Value: 343 mg/kg

End Use: Consumers Exposure routes: Inhalation

Potential health effects: Acute local effects

Value: 950 mg/m3

End Use: Consumers

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

Value: 206 mg/kg

End Use: Consumers Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 114 mg/m3

End Use: Consumers Exposure routes: Ingestion



WM 0713072 Order number: 0713072

Version 6.2 Revision Date 05.02.2021 Print Date 12.03.2021

Potential health effects: Long-term systemic effects

Value: 87 mg/kg

End Use: Consumers

Exposure routes: Skin contact

Potential health effects: Acute local effects

Value: 950 mg/m3

Alcohols, C12-14, ethoxylated,

sulfates, sodium salts

68891-38-3:

End Use: Workers

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

Value: 2750 mg/kg bw/day

End Use: Workers

Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 175 mg/m3

End Use: Consumers

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

Value: 1650 mg/kg bw/day

End Use: Consumers Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 52 mg/m3

End Use: Consumers Exposure routes: Ingestion

Potential health effects: Long-term systemic effects

Value: 15 mg/kg

End Use: Workers

Exposure routes: Skin contact

Potential health effects: Long-term local effects

Value: 0,132 mg/cm2

End Use: Consumers

Exposure routes: Skin contact

Potential health effects: Long-term local effects

Value: 0,079 mg/cm2

D-Glucopyranose, oligomeric, C10-16-alkyl glycosides

C10-16-alkyl glyco 110615-47-9: End Use: Workers

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

Value: 595000 mg/kg

End Use: Workers

Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 420 mg/m3

End Use: Consumers

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

Value: 357000 mg/kg

according to Regulation (EC) No. 1907/2006



**ACTIV FRESH 15 L** 

WM 0713072 Order number: 0713072

Version 6.2 Revision Date 05.02.2021 Print Date 12.03.2021

End Use: Consumers Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 124 mg/m3

End Use: Consumers Exposure routes: Ingestion

Potential health effects: Long-term systemic effects

Value: 35,7 mg/kg

**PNEC** 

**ethanol** : Fresh water **64-17-5:** Value: 0,96 mg/l

Marine water Value: 0,79 mg/l

Fresh water sediment Value: 3,6 mg/kg

Soil

Value: 0,63 mg/kg

STP

Value: 580 mg/l

intermittent release Value: 2,75 mg/l

Alcohols, C12-14, ethoxylated,

sulfates, sodium salts

68891-38-3:

: Fresh water

Value: 0,24 mg/l

Marine water Value: 0,024 mg/l

STP

Value: 10000 mg/l

intermittent release Value: 0,071 mg/l

Fresh water sediment Value: 5,45 mg/kg

Marine sediment Value: 0,545 mg/kg

Soil

Value: 0,946 mg/kg dry weight (d.w.)

D-Glucopyranose, oligomeric,

C10-16-alkyl glycosides

110615-47-9:

: Fresh water Value: 0,176 mg/l

> Marine water Value: 0,018 mg/l

Fresh water sediment

according to Regulation (EC) No. 1907/2006



**ACTIV FRESH 15 L** 

WM 0713072 Order number: 0713072

Version 6.2 Revision Date 05.02.2021 Print Date 12.03.2021

Value: 1,516 mg/kg

Marine sediment Value: 0,065 mg/kg

Soil

Value: 0,654 mg/kg

STP

Value: 5000 mg/l

intermittent release Value: 0,0295 mg/l

#### 8.2 Exposure controls

### Personal protective equipment

Eye protection : If splashes are likely to occur, wear:

Tightly fitting safety goggles

Hand protection

Material : For prolonged or repeated contact use protective gloves.

It is suggested the usage of chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1: 2003 (0,4

mm)

As alternative, a different type of gloves might be used if, accordingly to the recommendations of the producer, guarantee the same level of

protection.

Remarks : Take note of the information given by the producer concerning

permeability and break through times, and of special workplace

conditions (mechanical strain, duration of contact).

Skin and body protection : not required under normal use

<u>Respiratory protection</u>: Not required; except in case of aerosol formation.

Recommended Filter type:

ABEK-P3-filter

# **Environmental exposure controls**

General advice : Do not flush into surface water or sanitary sewer system.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : yellow Odour : fruity



WM 0713072 Order number: 0713072

Version 6.2 Revision Date 05.02.2021 Print Date 12.03.2021

Odour Threshold : No data available pH : ca. 8,2, at20 °C

Melting point/range : No data available

Boiling point/boiling range : No information available.

Flash point : ca. 50 °C

Evaporation rate : No data available Flammability (solid, gas) : No data available

Flammability (liquids) : Not classified as supporting combustion according to the transport

regulations.

Burning rate : No data available
Lower explosion limit : No data available
Upper explosion limit : No data available
Vapour pressure : No data available
Relative vapour density : No data available
Relative density : No data available

Density : ca. 1,048 g/cm3 at 20 °C

Water solubility : soluble

Solubility in other solvents : No data available
Partition coefficient: n- : No data available

octanol/water

Ignition temperature : No data available
Thermal decomposition : No data available

Viscosity, dynamic : ca. 155 mPa.s at 20 °C

Viscosity, kinematic : No data available
Explosive properties : No data available
Oxidizing properties : No data available

#### 9.2 Other information

none

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Stable under recommended storage conditions., No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

according to Regulation (EC) No. 1907/2006



**ACTIV FRESH 15 L** 

WM 0713072 Order number: 0713072

Version 6.2 Revision Date 05.02.2021 Print Date 12.03.2021

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.. No decomposition if

used as directed.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

Hazardous decomposition : No hazardous decomposition products are known.

products

Other information : No hazardous decomposition products are known.

#### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Our company is strongly against animal testing.

Our company does not place any orders for animal testing for the finished product or the ingredients. However, as a result of EU legislation (REACH Regulation), the manufacturers of ingredients or EU importers are obliged to test ingredients with regard to their effects on human health and the environment before they are brought onto the market. Some of the tests made necessary by this took place decades ago.

**Product** 

Acute oral toxicity : Acute toxicity estimate : > 2.000 mg/kg

Method: Calculation method

Skin corrosion/irritation : According to the classification criteria of the European Union, the

product is not considered as being a skin irritant.

Serious eye damage/eye

irritation

: Causes serious eye irritation.

Respiratory or skin sensitisation : No data available

Germ cell mutagenicity : Not Rated

Carcinogenicity : Not Rated

Reproductive toxicity : Not Rated

STOT - single exposure : The substance or mixture is not classified as specific target organ

toxicant, single exposure.

STOT - repeated exposure : The substance or mixture is not classified as specific target organ

toxicant, repeated exposure.

according to Regulation (EC) No. 1907/2006



**ACTIV FRESH 15 L** 

WM 0713072 Order number: 0713072

Version 6.2 Revision Date 05.02.2021 Print Date 12.03.2021

Aspiration toxicity : Not Rated

Further information : No data available

Components:

Alcohols, C12-16, ethoxylated (7 EO)

68551-12-2:

Acute oral toxicity : LD50 Rat: 500 - 2.000 mg/kg

Skin corrosion/irritation : Species: Rabbit

Result: No skin irritation

Serious eye damage/eye

irritation

: Species: Rabbit

Result: Risk of serious damage to eyes.

ethanol 64-17-5:

Acute oral toxicity : LD50 Oral Rat: 10.470 mg/kg

Method: OECD Test Guideline 401

LD50 Rat: 5.000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 Rat: 51 mg/l

Exposure time: 4 h

Acute dermal toxicity : LD50 Dermal Rabbit: > 2.000 mg/kg

Method: OECD Test Guideline 402

LD50 Dermal Rabbit: > 10.000 mg/kg Method: OECD Test Guideline 402

Skin corrosion/irritation : Species: Rabbit

Result: No skin irritation

Method: OECD Test Guideline 404

Serious eye damage/eye

irritation

Species: Rabbit

Result: Mild eye irritation

Method: OECD Test Guideline 405

Respiratory or skin sensitisation : Species: Mouse

Result: Does not cause skin sensitisation. Method: see user defined free text

Reproductive toxicity : Species: Rat

Application Route: Oral NOAEL: 5.200 mg/kg

according to Regulation (EC) No. 1907/2006



**ACTIV FRESH 15 L** 

WM 0713072 Order number: 0713072

Version 6.2 Revision Date 05.02.2021 Print Date 12.03.2021

Species: Rat

Application Route: Oral NOAEL: 13.800 mg/kg

Species: Rat

Application Route: Inhalation NOAEL: 30400 mg/m3

Repeated dose toxicity : Rat, male: NOAEL: > 20 mg/kg

Method: OECD Test Guideline 403

Rat, female: NOAEL: 1.730 mg/kg

Method: OECD Test Guideline 408

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Acute oral toxicity : LD50 Oral Rat: 2.870 mg/kg

Method: OECD Test Guideline 401

LD50 Rat: 7.400 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 Rat: > 2.000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Skin corrosion/irritation : Species: Rabbit

Method: OECD Test Guideline 404

Serious eye damage/eye

irritation

Species: Rabbit

Method: OECD Test Guideline 405

Respiratory or skin sensitisation : Result: Does not cause skin sensitisation.

Germ cell mutagenicity

Genotoxicity in vitro : Result: negative

Method: OECD Test Guideline 471

Reproductive toxicity : Species: Rat

Application Route: Oral NOAEL: > 300 mg/kg,

F1: > 300 mg/kg, Method: OECD Test Guideline 416

Teratogenicity : Species: Rat

Application Route: Oral

>1.000 mg/kg > 1.000 mg/kg

Method: OECD Test Guideline 414

according to Regulation (EC) No. 1907/2006



**ACTIV FRESH 15 L** 

WM 0713072 Order number: 0713072

Version 6.2 Revision Date 05.02.2021 Print Date 12.03.2021

Repeated dose toxicity : NOAEL: 300 mg/kg

STOT - repeated exposure : Exposure routes: Ingestion

Target Organs: Liver

D-Glucopyranose, oligomeric, C10-16-alkyl glycosides

110615-47-9:

Acute oral toxicity : LD50 Oral : > 5.000 mg/kg

Acute dermal toxicity : LD50 Dermal : > 5.000 mg/kg

Method: OECD Test Guideline 402

### **SECTION 12: Ecological information**

### 12.1 Toxicity

# **Product:**

### **Components:**

Alcohols, C12-16, ethoxylated (7 EO)

68551-12-2:

Toxicity to fish : (Danio rerio (zebra fish)): Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia (water flea)): 0,17 mg/l

Toxicity to bacteria : EC50 (Natural microorganism): 846 mg/l

Method: OECD Test Guideline 209

ethanol 64-17-5:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 13 g/l

Exposure time: 96 h

Method: OECD Test Guideline 203

LC50 (Leuciscus idus (Golden orfe)): 8.150 mg/l

Exposure time: 48 h

LC50 (Pimephales promelas (fathead minnow)): > 0,1 g/l

Exposure time: 96 h

LC50 (Fish): 11.200 mg/l

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 12.340 mg/l

Exposure time: 48 h

EC50: 5.012 mg/l

Toxicity to algae : EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l

Exposure time: 72 h
Test Type: Growth inhibition



WM 0713072 Order number: 0713072

Version 6.2 Revision Date 05.02.2021 Print Date 12.03.2021

Method: OECD Test Guideline 201

EC50 (Scenedesmus capricornutum (fresh water algae)): 12.900

ma/

Exposure time: 48 h

Test Type: Growth inhibition Method: No information available.

EC0 (Scenedesmus quadricauda (Green algae)): 5.000 mg/l

Exposure time: 168 h

EC50: 4.432 mg/l

EC10: 11,5 mg/l

EC10: 280 mg/l

Toxicity to bacteria : EC50 (Pseudomonas putida): 11.800 mg/l

Exposure time: 16 h

Test Type: Cell multiplication inhibition test

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 7,1 mg/l

Exposure time: 96 h

Test Type: flow-through test Method: OECD Test Guideline 203

GLP: yes

LC50 (Fish): > 1 - 10 mg/l Test Type: semi-static test

Method: OECD Test Guideline 203

LC50 (Leuciscus idus (Golden orfe)): 10 - 100 mg/l

Method: OECD Test Guideline 203

NOEC (Oncorhynchus mykiss (rainbow trout)): 0,14 mg/l

Exposure time: 28 d Test Type: flow-through test Method: OECD Test Guideline 204

LC50 (Brachydanio rerio (zebrafish)): 1 - 10 mg/l

Test Type: flow-through test Method: OECD Test Guideline 203

LC50 (Brachydanio rerio (zebrafish)): 7,1 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia pulex (Water flea)): 7,4 mg/l

Exposure time: 48 h Test Type: Immobilization

Method: OECD Test Guideline 202

EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202



| $\Lambda \cap T$ | I\/ | СΟ |     | _ 4 | I5 I  |   |
|------------------|-----|----|-----|-----|-------|---|
| ACT              | IV  | ГК | ESI |     | I O I | ᆫ |

NOEC (Daphnia magna (Water flea)): 0,27 mg/l

Exposure time: 21 d
Test Type: flow-through test

Method: OECD Test Guideline 211

(Daphnia magna (Water flea)): 7,2 mg/l

Exposure time: 48 h

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): 27,7 mg/l

Exposure time: 72 h

Test Type: Growth inhibition Method: OECD Test Guideline 201

GLP: yes

EC50 (Scenedesmus subspicatus): 10 - 100 mg/l

Method: OECD Test Guideline 201

EC50 (Desmodesmus subspicatus (green algae)): > 10 - 100 mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

NOEC: 0,95 mg/l

Test Type: Growth inhibition Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 0,93 mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

Toxicity to bacteria : EC50 (Pseudomonas putida): > 10 g/l

Exposure time: 16 h

Test Type: Cell multiplication inhibition test

Method: DIN 38412

GLP: yes

EC10 (Pseudomonas putida): > 10 g/l Test Type: Cell multiplication inhibition test

GLP:

Toxicity to fish (Chronic toxicity) : NOEC: 1,2 mg/l

NOEC: 1 - 10 mg/l

Species: Leuciscus idus (Golden orfe)

NOEC: 0,14 mg/l Exposure time: 28 d

Species: Oncorhynchus mykiss (rainbow trout)

Method: OECD Test Guideline 204

Toxicity to daphnia and other aquatic invertebrates (Chronic

aqualic invertebrates (C

toxicity)

NOEC: > 0,1 - 1 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Toxicity to soil dwelling

organisms

NOEC: 750 mg/kg Exposure time: 96 d

according to Regulation (EC) No. 1907/2006



**ACTIV FRESH 15 L** 

WM 0713072 Order number: 0713072

Version 6.2 Revision Date 05.02.2021 Print Date 12.03.2021

Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 222

D-Glucopyranose, oligomeric, C10-16-alkyl glycosides

110615-47-9:

Toxicity to fish : LC50 (Fish): > 1 - 10 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

LC50 (Brachydanio rerio (zebrafish)): 2,95 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia (water flea)): > 10 - 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

EC50 (Daphnia magna (Water flea)): 7 mg/l

Exposure time: 48 h

Toxicity to algae : EC50 : > 10 - 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC50 (Desmodesmus subspicatus (green algae)): 12,5 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to bacteria : EC0 (Pseudomonas putida): > 100 mg/l

Exposure time: 16 h Method: DIN 38412

Toxicity to fish (Chronic toxicity) : NOEC: > 1 mg/l

Exposure time: 28 d Species: Brachydanio rerio Method: OECD Test Guideline 204

NOEC: 1,8 mg/l Exposure time: 28 d Species: Brachydanio rerio Method: OECD Test Guideline 204

Toxicity to daphnia and other aquatic invertebrates (Chronic

toxicity)

NOEC: > 1 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: see user defined free text

EC10: 1,76 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 202

#### 12.2 Persistence and degradability

**Product:** 

Biodegradability : Remarks: The surfactant(s) contained in this preparation complies

(comply) with the biodegradability criteria as laid down in Regulation

according to Regulation (EC) No. 1907/2006



**ACTIV FRESH 15 L** 

WM 0713072 Order number: 0713072

Version 6.2 Revision Date 05.02.2021 Print Date 12.03.2021

(EC) No. 648/2004 on detergents.

**Components:** 

Alcohols, C12-16, ethoxylated (7 EO)

68551-12-2:

Biodegradability : Result: rapidly biodegradable

Biodegradation: 87 % Exposure time: 28 d

Chemical Oxygen Demand

(COD)

: 2.160 mg/g

ethanol 64-17-5:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 97 %

Method: OECD Test Guideline 301

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Biodegradability : Test Type: aerobic

Result: rapidly biodegradable Biodegradation: > 70 % Exposure time: 28 d Method: OECD 301 A

Test Type: anaerobic Result: Biodegradable Biodegradation: > 60 % Exposure time: 41 d

D-Glucopyranose, oligomeric, C10-16-alkyl glycosides

110615-47-9:

Biodegradability : Result: rapidly biodegradable

Method: OECD Test Guideline 301

12.3 Bioaccumulative potential

**Components:** 

ethanol 64-17-5:

Bioaccumulation : Concentration: 3,2 mg/l

Partition coefficient: n- : log Pow: -0,32

octanol/water

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

D-Glucopyranose, oligomeric, C10-16-alkyl glycosides

110615-47-9:

Partition coefficient: n- : log Pow: < -0,07 (20 °C)

octanol/water

according to Regulation (EC) No. 1907/2006



# **ACTIV FRESH 15 L**

WM 0713072 Order number: 0713072

Version 6.2 Revision Date 05.02.2021 Print Date 12.03.2021

### 12.4 Mobility in soil

#### **Components:**

ethanol 64-17-5:

Distribution among : Koc: 1Remarks: Highly mobile in soils

environmental compartments

# Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Distribution among : Adsorption/Soil environmental compartments Medium:Soil

Koc: 191Method: see user defined free text

#### 12.5 Results of PBT and vPvB assessment

#### Components:

#### Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Assessment : This substance is not considered to be very persistent and very

bioaccumulating (vPvB).. This substance is not considered to be

persistent, bioaccumulating and toxic (PBT)...

### 12.6 Other adverse effects

### Product:

Additional ecological information : There is no data available for this product.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with chemical or

used container.

In accordance with local and national regulations.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

# **SECTION 14: Transport information**

### 14.1 UN number

ADR

Not dangerous goods

**IMDG** 

Not dangerous goods

**IATA** 

Not dangerous goods

# 14.2 Proper shipping name

Not regulated as a dangerous good

### 14.3 Transport hazard class

according to Regulation (EC) No. 1907/2006



**ACTIV FRESH 15 L** 

WM 0713072 Order number: 0713072

Version 6.2 Revision Date 05.02.2021 Print Date 12.03.2021

**ADR** 

Not dangerous goods

**IMDG** 

Not dangerous goods

**IATA** 

Not dangerous goods

14.4 Packing group

ADR

Not dangerous goods

**IMDG** 

Not dangerous goods

IATA

Not dangerous goods

14.5 Environmental hazards

**ADR** 

Not dangerous goods

**IMDG** 

Not regulated as a dangerous good

**IATA** 

Not dangerous goods

14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

For personal protection see section 8.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and

the Council concerning the export and import of dangerous chemicals

P<sub>5</sub>c

: Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations

and articles (Annex XVII)

: See Annex XVII to Regulation (EC) no 1907/2006 for Conditions of restriction

50.000 000067

5.000 000067

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

hazards involving dangerous substances.

Quantity 1 Quantity 2

TA Luft List (Germany) : Total dust: Not applicable

: Inorganic substances in powdered form: Not applicable

: Inorganic substances in vapour or gaseous form: Not applicable

: Organic Substances: : portionClass 1: < 0,01 %

Carcinogenic substances: Not applicable

: Mutagenic: Not applicable

FLAMMABLE LIQUIDS

: Toxic to reproduction: Not applicable

Volatile organic compounds

(VOC) content

: Directive 2010/75/EU of 24 November 2010 on industrial emissions

(integrated pollution prevention and control)



WM 0713072 Order number: 0713072

Version 6.2 Revision Date 05.02.2021 Print Date 12.03.2021

Update: Percent volatile: 5,54 %

142,92 g/l

VOC content excluding water

Volatile organic compounds

(VOC) content

Directive 2010/75/EU of 24 November 2010 on industrial emissions

(integrated pollution prevention and control)

Update: Percent volatile: 5,54 %

58,05 q/l

VOC content valid only for coating materials used on wood surfaces

according to Detergents Regulation EC 648/2004 : 15 - <30% Non-ionic surfactants, 5 - <15% soap, <5% phosphonates, Anionic surfactants, enzymes, optical brighteners, Perfumes, HEXYL

CINNAMAL, CITRAL, LIMONENE, BENZYL SALICYLATE,

PROTEASE, AMYLASE

GISBAU (D) : no assignment possible

#### 15.2 Chemical safety assessment

There is no data available for this product.

# **SECTION 16: Other information**

### **Full text of H-Statements**

| H225 | Highly flammable liquid and vapour.                |
|------|--|
| H302 | Harmful if swallowed.                              |
| H315 | Causes skin irritation.                            |
| H318 | Causes serious eye damage.                         |
| H319 | Causes serious eye irritation.                     |
| H412 | Harmful to aquatic life with long lasting effects. |

#### **Further information**

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Classification procedure: H319 The skin and/or eye classification of this

product was derived using bridging principles (such as dilution, interpolation

within one hazard category or substantially similar mixtures; with or without expert judgement) following Article 9(3) and Article 9(4) of Regulation (EC) No 1272/2008.

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good

according to Regulation (EC) No. 1907/2006



**ACTIV FRESH 15 L** 

WM 0713072 Order number: 0713072

Version 6.2 Revision Date 05.02.2021 Print Date 12.03.2021

Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC -No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

500000000969