



APESIN C 300 F

WM 0716391

Order number: 0716391

Version 2.3

Revision Date 30.08.2022

Print Date 06.10.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : APESIN C 300 F
UFI : NWD6-10X9-H00K-RCK9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Disinfectants, Cleaning agent
Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : Tana Chemie GmbH
Rheinallee 96
55120 Mainz
Telephone : +49613196403
Telefax : +4961319642414
E-mail address : Produktsicherheit@werner-mertz.com
Responsible/issuing person
Contact person : Product development / product safety

1.4 Emergency telephone number

112
Centru za kontrolu otrovanja u Zagrebu na tel. (01) 2348 342
+49(0)6131-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Category 1B	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 2	H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



APESIN C 300 F

WM 0716391

Order number: 0716391

Version 2.3

Revision Date 30.08.2022

Print Date 06.10.2023

Hazard pictograms :



Signal word :

Danger

Hazard statements :

H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

P102 Keep out of reach of children.
Prevention:
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P391 Collect spillage.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

2-aminoethanol
Quaternary ammonium
compounds, benzyl-C12-16-
alkyldimethyl, chlorides

Safety data sheet available on request.

2.3 Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
2-aminoethanol	ETHANOLAMINE 205-483-3 603-030-00-8 01-2119486455-28	Acute Tox. 4; H332 Acute Tox. 4; H312 Acute Tox. 4; H302 Skin Corr. 1B; H314 STOT SE 3; H335 Aquatic Chronic 3; H412	>= 10 - < 20



APESIN C 300 F

WM 0716391

Order number: 0716391

Version 2.3

Revision Date 30.08.2022

Print Date 06.10.2023

		<p>Eye Dam. 1; H318</p> <hr/> <p>specific concentration limit STOT SE 3; H335 ≥ 5 %</p> <hr/> <p>Acute toxicity estimate</p> <p>Acute oral toxicity: 500,0 mg/kg Acute dermal toxicity: 1.100 mg/kg</p>	
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	68424-85-1 270-325-2	<p>Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Acute Tox. 4; H302</p> <hr/> <p>M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1</p> <hr/> <p>Acute toxicity estimate</p> <p>Acute dermal toxicity: > 5.000 mg/kg</p>	≥ 10 - < 20
Decanol, ethoxylated	26183-52-8 500-046-6	<p>Eye Irrit. 2; H319 Acute Tox. 4; H302</p>	≥ 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.
Consult a physician after significant exposure.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and plenty of water.
Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
Protect unharmed eye.
Continue rinsing eyes during transport to hospital.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.



APESIN C 300 F

WM 0716391

Order number: 0716391

Version 2.3

Revision Date 30.08.2022

Print Date 06.10.2023

Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : corrosive effects
Irritation

Risks : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons Information Service.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Ensure adequate ventilation.
Evacuate personnel to safe areas.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.



APESIN C 300 F

WM 0716391

Order number: 0716391

Version 2.3

Revision Date 30.08.2022

Print Date 06.10.2023

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Neutralise with acid.
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
To avoid spills during handling keep bottle on a metal tray.
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke.
Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store at room temperature in the original container.

Further information on storage stability : No decomposition if stored and applied as directed.
Protect from frost.

7.3 Specific end use(s)

Specific use(s) : <** Phrase language not available: [EN] CUST - WM01.00009 **>

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
2-aminoethanol	ETHANOLAM INE	TWA	1 ppm 2,5 mg/m ³	2006/15/EC
	Further information: Indicative, Identifies the possibility of significant uptake through the skin			
2-aminoethanol	ETHANOLAM	STEL	3 ppm	2006/15/EC



APESIN C 300 F

WM 0716391

Order number: 0716391

Version 2.3

Revision Date 30.08.2022

Print Date 06.10.2023

	INE		7,6 mg/m3	
		Further information: Indicative, Identifies the possibility of significant uptake through the skin		

8.2 Exposure controls

Personal protective equipment

- Eye protection : Tightly fitting safety goggles
- Hand protection
- Material : Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374.
- Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).
- Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Remove and wash contaminated clothing before re-use.
- Respiratory protection : Not required; except in case of aerosol formation.
Recommended Filter type:
ABEK-P3-filter

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Appearance : liquid
- Colour : colourless
- Odour : odourless
- Odour Threshold : No data available
- pH : ca. 12,6, 100 %
at 20 °C
- Melting point/range : No data available
- Boiling point/boiling range : No data available
- Flash point : No data available
- Evaporation rate : No data available
- Flammability (solid, gas) : No data available
- Flammability (liquids) : No data available
- Burning rate : No data available
- Lower explosion limit : 3 %(V)
- Upper explosion limit : 23,5 %(V)



APESIN C 300 F

WM 0716391

Order number: 0716391

Version 2.3

Revision Date 30.08.2022

Print Date 06.10.2023

Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	ca. 1,040 g/cm ³ at 20 °C
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Ignition temperature	:	No data available
Thermal decomposition	:	No data available
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.
No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.
No decomposition if used as directed.

10.4 Conditions to avoid

Conditions to avoid : Protect from frost.

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Our company is strongly against animal testing.
Our company does not place any orders for animal testing for the finished product or the ingredients.



APESIN C 300 F

WM 0716391

Order number: 0716391

Version 2.3

Revision Date 30.08.2022

Print Date 06.10.2023

However, as a result of EU legislation (REACH Regulation), the manufacturers of ingredients or EU importers are obliged to test ingredients with regard to their effects on human health and the environment before they are brought onto the market. Some of the tests made necessary by this took place decades ago.

Acute toxicity

Product:

- Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg
Method: Calculation method
- Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method
- Acute dermal toxicity : Acute toxicity estimate: > 2.000 mg/kg
Method: Calculation method

Components:

2-aminoethanol

ETHANOLAMINE:

- Acute oral toxicity : LD50 Oral (Rat): 1.515 mg/kg
Method: OECD Test Guideline 401
- Acute toxicity estimate: 500,0 mg/kg
Method: Converted acute toxicity point estimate
- LD50 (Rat): 1.089 mg/kg
Method: OECD Test Guideline 401
- Acute inhalation toxicity : LC50 (Rat): 1,3 mg/l
Exposure time: 6 h
Remarks: Harmful by inhalation.
- LC50 (Rat): 1,487 mg/l
Exposure time: 4 h
- Acute dermal toxicity : LD50 Dermal (Rabbit): 2.504 mg/kg
Method: OECD Test Guideline 402
- Acute toxicity estimate: 1.100 mg/kg
Method: Converted acute toxicity point estimate
- LD50 (Rabbit): 1.000 mg/kg

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides

68424-85-1:

- Acute oral toxicity : LD50 Oral (Rat): 795 mg/kg
- Acute dermal toxicity : Acute toxicity estimate: > 5.000 mg/kg

Decanol, ethoxylated

26183-52-8:

- Acute oral toxicity : LD50 Oral: > 2.000 mg/kg



APESIN C 300 F

WM 0716391

Order number: 0716391

Version 2.3

Revision Date 30.08.2022

Print Date 06.10.2023

Skin corrosion/irritation

Product:

Remarks : Extremely corrosive and destructive to tissue.

Components:

2-aminoethanol

ETHANOLAMINE:

Species : Rabbit
Assessment : Corrosive
Method : OECD Test Guideline 404
Result : Corrosive

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides

68424-85-1:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Corrosive after 3 minutes or less of exposure

Serious eye damage/eye irritation

Product:

Remarks : May cause irreversible eye damage.

Components:

2-aminoethanol

ETHANOLAMINE:

Species : Rabbit
Assessment : Risk of serious damage to eyes.
Method : OECD Test Guideline 405
Result : Risk of serious damage to eyes.

Respiratory or skin sensitisation

Product:

Remarks : No data available

Components:

2-aminoethanol

ETHANOLAMINE:

Test Type : Maximisation Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity : Not Rated

Carcinogenicity : Not Rated



APESIN C 300 F

WM 0716391

Order number: 0716391

Version 2.3

Revision Date 30.08.2022

Print Date 06.10.2023

Reproductive toxicity	: Not Rated
STOT - single exposure	: The substance or mixture is not classified as specific target organ toxicant, single exposure.
STOT - repeated exposure	: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
Aspiration toxicity	: Not Rated

11.2 Information on other hazards

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

2-aminoethanol

141-43-5:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 150 mg/l Exposure time: 96 h LC50 (Lepomis macrochirus (Bluegill sunfish)): 329 mg/l Exposure time: 96 h LC50 (Cyprinus carpio (Carp)): 349 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 LC50 (Carassius auratus (goldfish)): 170 mg/l Exposure time: 96 h Test Type: static test LC50 (Leuciscus idus (Golden orfe)): 224 mg/l Exposure time: 48 h LC50 (Oncorhynchus mykiss (rainbow trout)): 105 mg/l Exposure time: 96 h (Oryzias latipes (Orange-red killifish)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 27,04 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 NOEC (Daphnia magna (Water flea)): 0,85 mg/l



APESIN C 300 F

WM 0716391

Order number: 0716391

Version 2.3

Revision Date 30.08.2022

Print Date 06.10.2023

- Exposure time: 21 d
Method: OECD Test Guideline 211
- EC50 (*Daphnia magna* (Water flea)): 65 mg/l
Exposure time: 48 h
Test Type: static test
Method: EG 84/449
- Toxicity to algae : EC50 (*Selenastrum capricornutum*): 2,8 mg/l
Exposure time: 72 h
Test Type: Growth inhibition
Method: OECD Test Guideline 201
- EC50 (*Scenedesmus subspicatus*): 22 mg/l
Exposure time: 72 h
Test Type: Growth inhibition
- NOEC (*Selenastrum capricornutum*): 1 mg/l
Exposure time: 72 h
Test Type: Growth inhibition
Method: OECD Test Guideline 201
- EC50 (*Scenedesmus subspicatus*): 15 mg/l
Exposure time: 72 h
- EC50 (*Selenastrum capricornutum*): 2,5 mg/l
Exposure time: 72 h
- EC10 (*Pseudokirchneriella subcapitata* (green algae)): 0,7 mg/l
Exposure time: 72 h
Test Type: Growth inhibition
Method: OECD Test Guideline 201
- Toxicity to bacteria : EC20 (activated sludge): > 1.000 mg/l
Exposure time: 0,5 h
Method: OECD Test Guideline 209
- EC50 (*Pseudomonas putida*): 110 mg/l
Exposure time: 16 h
Method: DIN 38412
- EC50 (activated sludge): > 1.000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
- Toxicity to fish (Chronic toxicity) : NOEC: 1,2 mg/l
Exposure time: 30 d
Species: *Oryzias latipes* (Orange-red killifish)
- Toxicity to soil dwelling organisms : EC50: 4.033 mg/kg
Exposure time: 63 d
Species: *Eisenia fetida* (earthworms)

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides 68424-85-1:

- Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 0,85 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203



APESIN C 300 F

WM 0716391

Order number: 0716391

Version 2.3

Revision Date 30.08.2022

Print Date 06.10.2023

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1 mg/l
Exposure time: 48 h
- EC50 (Daphnia (water flea)): 0,016 mg/l
Exposure time: 48 h
- NOEC (Daphnia (water flea)): 0,025 mg/l
Exposure time: 21 d
- Toxicity to algae : IC50 (Desmodesmus subspicatus (green algae)): 1 mg/l
Exposure time: 72 h
- EC10 (Selenastrum capricornutum (green algae)): 0,0025 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- EC50 (Selenastrum capricornutum (green algae)): 0,025 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- M-Factor (Short-term (acute) aquatic hazard) : 10
- Toxicity to bacteria : EC20 (activated sludge): 5 mg/l
Exposure time: 0,5 h
Method: OECD Test Guideline 209
- M-Factor (Long-term (chronic) aquatic hazard) : 1
- Decanol, ethoxylated
26183-52-8:**
- Toxicity to fish : LC50 : 1 - 10 mg/l
Test Type: semi-static test
- Toxicity to daphnia and other aquatic invertebrates : (Daphnia magna (Water flea)): 13,5 mg/l
Test Type: Immobilization
Method: OECD Test Guideline 202
- Toxicity to algae : (Desmodesmus subspicatus (green algae)): 12,0 mg/l
Test Type: Growth inhibition
Method: OECD Test Guideline 201
- Toxicity to bacteria : EC0 (Bacteria): > 100 mg/l

12.2 Persistence and degradability

Components:

2-aminoethanol 141-43-5:

- Biodegradability : Test Type: aerobic
Inoculum: activated sludge
Result: Readily biodegradable.
Biodegradation: > 90 %
Exposure time: 21 d
Method: OECD 301 A
- Result: rapidly biodegradable



APESIN C 300 F

WM 0716391

Order number: 0716391

Version 2.3

Revision Date 30.08.2022

Print Date 06.10.2023

Biodegradation: 90 - 100 %
Method: OECD 301 F

Biochemical Oxygen Demand (BOD) : 800 mg/g
Incubation time: 5 d

ThOD : 1,31 g/g

Decanol, ethoxylated 26183-52-8:

Biodegradability : Biodegradation: 89 %
Exposure time: 28 d
Method: OECD 301 F

12.3 Bioaccumulative potential

Components:

2-aminoethanol

141-43-5:

Bioaccumulation : Bioconcentration factor (BCF): 1

Remarks: Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected.

Partition coefficient: n-octanol/water : log Pow: -1,91 (25 °C)
Method: OECD Test Guideline 107

log Pow: -2,3 (25 °C)
pH: 6,8 - 7,3
Method: OECD Test Guideline 107

12.4 Mobility in soil

Components:

2-aminoethanol

141-43-5:

Distribution among environmental compartments : Medium:Soil
Koc: 5Remarks: Highly mobile in soils

Stability in soil : Remarks: Will not adsorb on soil.

12.5 Results of PBT and vPvB assessment

Components:

2-aminoethanol

141-43-5:

Assessment : This substance is not considered to be very persistent and very bioaccumulating (vPvB).. This substance is not considered to be persistent, bioaccumulating and toxic (PBT)..

12.6 Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.



APESIN C 300 F

WM 0716391

Order number: 0716391

Version 2.3

Revision Date 30.08.2022

Print Date 06.10.2023

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
In accordance with local and national regulations.
- Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number

- ADR : 1760
IMDG : 1760
IATA : 1760

14.2 Proper shipping name

- ADR : CORROSIVE LIQUID, N.O.S.
(Benzalkonium chloride)
- IMDG : CORROSIVE LIQUID, N.O.S.
(Benzalkonium chloride)
- IATA : Corrosive liquid, n.o.s.

14.3 Transport hazard class

- ADR : 8
IMDG : 8
IATA : 8

14.4 Packing group

- ADR
Classification Code : C9
Packaging group : II
Hazard Identification Number : 80
Labels : 8
Tunnel restriction code : (E)
- IMDG
Packaging group : II
Labels : 8
EmS Number : F-A, S-B
- IATA
(Cargo) : Corrosive liquid, n.o.s.
Packaging group : II
Labels : 8

14.5 Environmental hazards

- ADR
Environmentally hazardous : yes
- IMDG
Marine pollutant : yes
- IATA



APESIN C 300 F

WM 0716391

Order number: 0716391

Version 2.3

Revision Date 30.08.2022

Print Date 06.10.2023

Environmentally hazardous : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

For personal protection see section 8.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : See Annex XVII to Regulation (EC) no 1907/2006 for Conditions of restriction

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
E1	ENVIRONMENTAL HAZARDS	100 000067	200 000067

TA Luft List (Germany) : Total dust: Not applicable
: Inorganic substances in powdered form: Not applicable
: Inorganic substances in vapour or gaseous form: Not applicable
: Organic Substances: : portionClass 1: 10 %
: Carcinogenic substances: Not applicable
: Mutagenic: Not applicable
: Toxic to reproduction: Not applicable

Volatile organic compounds (VOC) content : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)
Update: Percent volatile: 10 %

according to Detergents Regulation EC 648/2004 : <5% Non-ionic surfactants, BENZALKONIUM CHLORIDE

15.2 Chemical safety assessment

SECTION 16: Other information

Full text of H-Statements

H302 : Harmful if swallowed.
H312 : Harmful in contact with skin.
H314 : Causes severe skin burns and eye damage.



APESIN C 300 F

WM 0716391

Order number: 0716391

Version 2.3

Revision Date 30.08.2022

Print Date 06.10.2023

H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H332	:	Harmful if inhaled.
H335	:	May cause respiratory irritation.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H412	:	Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Eye Irrit.	:	Eye irritation
Skin Corr.	:	Skin corrosion
STOT SE	:	Specific target organ toxicity - single exposure
2006/15/EC	:	Europe. Indicative occupational exposure limit values
2006/15/EC / TWA	:	Limit Value - eight hours
2006/15/EC / STEL	:	Short term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECl - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Skin Corr. 1B	H314
Eye Dam. 1	H318
STOT SE 3	H335
Aquatic Acute 1	H400
Aquatic Chronic 2	H411

Classification procedure:

Based on product data or assessment
Based on product data or assessment
Calculation method
Calculation method
Calculation method



APESIN C 300 F

WM 0716391

Order number: 0716391

Version 2.3

Revision Date 30.08.2022

Print Date 06.10.2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG_EU / EN

50000005570